

PuraVida
Thermostat HighFlow for concealed installation
 Finish: **White/Chrome** Article Number: **15772400**



Description


product features

- thermostat cartridge
- maximum flow rate at 3 bar: 59 l/min
- flow rate upper outlet: 42 l/min
- flow rate lower outlet: 42 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- safety stop at 40 °C
- temperature limitation adjustable
- connection type: basic set
- wall-mounted
- WRAS 2107096
- WRAS 2107096 - Approval letter


Product image



Scale drawing



Flowchart




PuraVida
Thermostat HighFlow for concealed installation
 Finish: **White/Chrome** Article Number: **15772400**



Exploded Drawing

Year of production: >02/12



PuraVida
Thermostat HighFlow for concealed installation
 Finish: **White/Chrome** Article Number: **15772400**



Spare part list

Year of production: >02/12

Pos.	Description	Article Number	Price	PU
1	handle for thermostat	11791400	£ 275,00	1
2	adapter for handle	96435000	£ 20,50	1
3	escutcheon 155 / 155 mm	95277000	£ 64,00	1
4	sleeve	97439000	£ 43,00	1
5	holder for escutcheon	98793XXX	> £ 43,00	-
6	set of fixing screws	96454000	£ 9,00	1
7	thermostat cartridge	96633000	£ 137,00	1
8	sealing set	96636000	£ 51,00	1
9	set of screws	96525000	£ 9,00	1
10	O-ring 16x2	98133000	£ 3,30	1
11	set of non return valves DW 15	97350000	£ 20,50	1
12	filter	98513000	£ 3,30	1
13	extension 25 mm	13595000	£ 75,00	1
14	set of fixing screws	97747XXX	> £ 3,30	-
15	extension 22 mm	15597000	£ 74,00	1
a	concealed item	01800180	£ 163,00	1
b	adapter for exchanged connections	93181000	£ 275,00	1
c	sub plate	96447000	£ 51,00	1
d	fixation set	96615000	£ 59,00	1