


180982- Toba Mono mixer

Useful Information				
Minimum operating pressure	0.2 bar			
Maximum operating pressure	5 bar			
Guarantee length	5 years			







Item Number	Supplier Ref	Description	Quantity	Spares Available
1	P97-A	Indice	2	Yes
2	SC4-12S/B	Screw	2	Yes
3	177011-H	Handle	2	Yes
4	177011-S	Valve Cover	2	Yes
5	VS02-C20	1/2" CD Valve	1	Yes
6	VS02-C20	1/2" CD Valve	1	Yes
7	177011-01	Tap Body	1	No
8	177005-N2	Block Ring	1	Yes
9	OR109	O Ring	1	No
10	177005-N1	Adaptor	1	No
11	OR101	Oring	3	Yes

12	177005-02	Spout	1	No
13	A14-01X	Washer	1	Yes
14	A13-02	Flow straightener	1	Yes
15	N30-G	Flange	1	Yes
16	N25-G	Washer	1	Yes
17	N28-M	Fixing kit	1	Yes
18	BZG10-1/2"-400	Braided Connectors	1	Yes

Flow Rates

May Diego, Con

FAQ

What should I do if my tap is dripping/leaking?

Cleaning the valve (if water dripping from tap)

Before carrying out any maintenance, turn off the mains water supply. If unsure contact a qualified tradesman.

- 1. Remove the cap (e), grub screw (a), handles (b).
- 2. Remove the valve (d) using a suitable spanner, clean thoroughly under cold water
- 3. to remove any build up of limescale or debris.
- 4. If necessary replace the valve.
- 5. Replace the valve (d) into the body, tighten the valve using a suitable spanner.
- 6. Replace the handles (b) and indice (f), tighten the grub screw (a).
- 7. Re-fit the cap (e) to handle.

What does the Guarantee Cover?

(b) handle. The Guarantee Covering leakage, manufacturing defects and Chrome Plating The guarantee does not cover:

Damage or defects caused by:

- general wear and tear (including special non-chrome finishes;
- components such as filters, seals, 'O'rings and washers)
- incorrect installation
- repair using non- PPI parts
- accidental or wilful misuse
- corrosion and the use of inappropriate cleaning products.
- system debris including the build up of limescale (which can be controlled through regular servicing and maintenance).
- Compensation for loss of use of the product or consequential loss of any kind.