

AXOR ShowerSelect
Thermostat HighFlow for concealed installation square
 Finish: **Satin Black** Article Number: **36718350**



product features

- thermostat cartridge
- maximum flow rate at 3 bar: 59 l/min
- flow rate upper outlet: 42 l/min
- flow rate lower outlet: 42 l/min
- safety stop at 40 °C
- temperature limitation adjustable
- connection type: basic set
- WRAS 2305061
- WRAS 2305061 - Approval letter 2305061


Article Details

Price excl. VAT 831,30 £

Product image




Scale drawing



AXOR ShowerSelect
Thermostat HighFlow for concealed installation square
 Finish: **Satin Black** Article Number: **36718350**



Flowchart




AXOR ShowerSelect
Thermostat HighFlow for concealed installation square
Finish: **Satin Black** Article Number: **36718350**



Exploded Drawing

Year of production: >07/19



AXOR ShowerSelect
Thermostat HighFlow for concealed installation square
 Finish: **Satin Black** Article Number: **36718350**



Spare part list

Year of production: >07/19

Pos.		Article Number	Price	PU
1	handle for thermostat	92534350	-	1
2	hollow set screw M4x16	97663000	£ 3,30	1
3	adapter for handle	98701000	£ 9,00	1
4	escutcheon 170 / 170 mm	92663350	-	1
5	O-ring 48x5	98174000	£ 3,30	1
6	sleeve	95331350	-	1
7	safety set for temperature control	97334000	£ 13,30	1
8	O-ring 45x1,5	92542000	£ 3,30	1
9	holder for escutcheon	98793000	£ 43,00	1
10	set of fixing screws	96454000	£ 9,00	1
11	thermostat cartridge	96633000	£ 137,00	1
12	O-ring 35x2	92604000	£ 6,10	1
13	sealing set	96636000	£ 51,00	1
14	O-ring 43x1,5	98148000	£ 3,30	1
15	set of screws	96525000	£ 9,00	1
16	O-ring 16x2	98133000	£ 3,30	1
17	non return valve (pressure-resistant up to 2 MPa)	93444000	£ 35,00	1
18	filter	98513000	£ 3,30	1
19	extension 25 mm	13595000	£ 75,00	1
20	set of fixing screws	97747000	£ 3,30	1