

Vivenis

Single lever shower mixer for exposed installation 2 ticks

Finish: **Chrome** Article Number: **75620009**



Description

product features

- centre distance: 150 ± 12 mm
- maximum flow rate at 3 bar: 5,5 l/min
- ceramic cartridge
- temperature limitation adjustable
- non-return valve
- with silencer
- hose connection DN15
- connection dimension: DN15
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- connection type: s-shaped connections

Design awards



reddot winner 2021




GERMAN DESIGN AWARD WINNER 2022


Product image



Scale drawing



Flowchart




Vivenis
Single lever shower mixer for exposed installation 2 ticks
 Finish: **Chrome** Article Number: **75620009**



Exploded Drawing

Year of production: >08/21



Vivenis

Single lever shower mixer for exposed installation 2 ticks

Finish: **Chrome** Article Number: **75620009**



Spare part list

Year of production: >08/21

Pos.	Description	Article Number	Price	PU
1	handle	94375000	£ 35,00	1
2	hollow set screw M5x5	98446000	£ 3,30	1
3	flange	94370000	£ 43,00	1
4	nut	93995000	£ 25,00	1
5	cartridge, assy	93895000	£ 79,00	1
6	screw	94366000	£ 13,30	1
7	Hose Connection	96044019	-	1
8	O-ring 14x2	98129000	£ 3,30	1
9	non return valve	92839000	£ 16,10	1
10	escutcheon Ø 70 mm	94365000	£ 51,00	1
11	set of S-unions	95772000	£ 96,00	1
12	O-ring 29x3	98371000	£ 6,10	1