

ST 060 112 6819



- cover plate Ø 124 mm
 - rosette Ø 60 mm
 - temperature control handle with safety limit stop at 38°C
 - thermostat cartridge
 - 2x head part with cut-to-length spindle and sleeve
- Fits VAIA**

	Brushed Dark Platinum	ST 060 112 6819-99
	Chrome	ST 060 112 6819-00
	Brushed Platinum	ST 060 112 6819-06
	Platinum	ST 060 112 6819-08
	Dark Chrome	ST 060 112 6819-19
	Brushed Durabronze (23kt Gold)	ST 060 112 6819-28
	Brushed Champagne (22kt Gold)	ST 060 112 6819-46
	Champagne (22kt Gold)	ST 060 112 6819-47

Individual components of this set

You need the following components for this set



1x 36 503 979-99



2x 36 607 819-99

www.divapor.com

ST 060 112 6819




- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge


Codes & standards

	Brushed Dark Platinum	36 503 979-99
	Chrome	36 503 979-00
	Brushed Platinum	36 503 979-06
	Platinum	36 503 979-08
	Durabronze (23kt Gold)	36 503 979-09
	Matte White	36 503 979-10
	Dark Chrome	36 503 979-19
	Brushed Durabronze (23kt Gold)	36 503 979-28
	Matte Black	36 503 979-33
	Brushed Champagne (22kt Gold)	36 503 979-46
	Champagne (22kt Gold)	36 503 979-47
	Brushed Chrome	36 503 979-93


Required miscellaneous

	xTOOL Concealed thermostat module without volume control • min. recess depth 85 mm • max. recess depth 110 mm	35 503 970 90
---	--	---------------

Recommended miscellaneous


	xGRID Attachment set for integrating in the dry wall construction	12 340 970 90
---	--	---------------

Required miscellaneous

	xGRID Installation track 555 mm	12 360 970 90
---	--	---------------


ST 060 112 6819

mm [inches]



www.divapor.com

ST 060 112 6819



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 065 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 537-99	cover	1	30
4	09 31 11 048 90	pin	1	2
5	09 14 10 049 90	seal	1	2
6	09 21 02 112-99	sleeve	1	30
7	90 17 33 004 00-99	handle	1	30
8	90 21 33 010 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	09 30 30 136 90	screw	1	2
11	09 31 20 049-13	plug	1	30
12	12 178 970 90	Extension 46 mm	1	2

ST 060 112 6819



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Codes & standards

Fits VAIA

Fits VAIA

	Brushed Dark Platinum	36 607 819-99
	Chrome	36 607 819-00
	Brushed Platinum	36 607 819-06
	Platinum	36 607 819-08
	Dark Chrome	36 607 819-19
	Brushed Durabronze (23kt Gold)	36 607 819-28
	Brushed Champagne (22kt Gold)	36 607 819-46
	Champagne (22kt Gold)	36 607 819-47

Required miscellaneous



Wall valve 1/2"


- min. recess depth 75 mm
- max. recess depth 145 mm

35 607 970 90


www.divapor.com

ST 060 112 6819

mm [inches]



www.divapor.com



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 143 00 90	top	1	2
2	09 31 11 008 90	pin	1	2
3	09 21 02 163 90	disc	1	2
4	90 20 80 015 00-99	handle	1	30