SPECIFICATION SHEET

COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN





Basin Mixer

COLLECTION NAME

Origins

FINISH

Brushed Nickel

RECOMMENDED FLOW REGULATOR

5 l/m flow regulator fitted as standard when installing below 1.0 bar pressure, removal of the flow regulator is required

MINIMUM OPERATING PRESSURE

0.2 Bar LP

GUARANTEE

Flow rate (Ipm)

15 Year Guarantee

HANDLES

Single Lever

WITH ECOTURN COLD START TECHNOLOGY

2.5 Pressure (bar)

No

NOTES

tile-to mortar guard included

tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS TAPS | SHOWERS | ACCESSORIES



SPECIFICATION SHEET

COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN

WITH WATER FLOW STRAIGHTENER

No

WITH WATER FLOW AERATOR Yes

INSTALLATION TOLERANCES min-max wall mount 53-70mm

CONNECTIONS / FITTINGS

2 x 1/2" inlets

SPARE PARTS ceramic cartridge CAR-K35B

WALL HOLE DRILL DIAMETER

Spout: 40-48mm Handle: 55-72mm

HOLES 2 Hole

MOUNTING Wall Mounted

PLUMBING SYSTEM SUITABILITY

Gravity System, Pumped System, Combination Boiler, Pressurised System


tel: 01934 744466 email: sales@vado.com www.vado.com


WHERE INSPIRATION FLOWS



TECHNICAL DRAWING

COLLECTION: ORIGINS PRODUCT CODE: IND-ORI209SA-BRN





tel: 01934 744466 email: sales@vado.com www.vado.com

WHERE INSPIRATION FLOWS

